

Test Report No.: **1160042348a 001**

Page 1 of 15

Client: **Wuhu Jiahong New Material CO., Ltd**
Electrical Apparatus Components, Industrial Park,
Wuhu, Anhui province P. R. China

Test item(s): Temperature controller

Test Model No(s): ET-71

Reference Style No(s). ET-61, ET-61W, ET-62, ET-62W, ET-81W

Sample Receiving date: 2018-01-03, 2018-01-12, 2018-01-16, 2018-01-19

Delivery condition: **Apparent good, Samples tested as received**

Test period: 2018-01-04 – 2018-01-24

Test specification:

Customer's requirement:

1. According to RoHS (recast):Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU last amended by (EU) 2015/863
2. ROHS Phthalates (BBP, DBP, DEHP, DIBP)

Test result:

PASS

PASS

Other Information:

Remark: Selected items were tested, as per client's request.

For and on behalf of
TÜV Rheinland / CCIC (Ningbo) Co., Ltd.




2018-01-24 Cherry Yan Project Coordinator

Date Name/Position


Test result is drawn according to the kind and extent of tests performed.

This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.


A. Screening Test by XRF Spectroscopy

 Test Method: Cadmium, Lead, Mercury, Chromium, Bromine
 - With reference to IEC 62321-3-1: 2013



Material No.	Result (mg/kg)				
	Cd	Pb	Cr	Hg	Br
	Limit(mg/kg)				
	100	1000	Cr(VI): 1000	1000	PBB:1000 PBDE:1000
1(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
2(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
3(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
4(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
5(metal)	n.d.	n.d.	n.d.	n.d.	N.A.
7(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.




Material No.	Result (mg/kg)				
	Cd	Pb	Cr	Hg	Br
	Limit(mg/kg)				
	100	1000	Cr(VI): 1000	1000	PBB:1000 PBDE:1000
8(metal)	n.d.	n.d.	n.d.	n.d.	N.A.
10(metal)	n.d.	n.d.	n.d.	n.d.	N.A.
11(metal)	n.d.	n.d.	n.d.	n.d.	N.A.
12(metal)	n.d.	n.d.	d(^2)	n.d.	N.A.
13(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
14(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.





Material No.	Result (mg/kg)				
	Cd	Pb	Cr	Hg	Br
	Limit(mg/kg)				
	100	1000	Cr(VI): 1000	1000	PBB:1000 PBDE:1000
15(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
16(PCB)	n.d.	n.d.	n.d.	n.d.	d(^1)
17(plastic)	n.d.	n.d.	n.d.	n.d.	d(^1)
18(metal)	n.d.	n.d.	n.d.	n.d.	N.A.
19(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
20(metal)	n.d.	n.d.	d(^2)	n.d.	N.A.
21(metal)	n.d.	n.d.	d(^2)	n.d.	N.A.
22(glass)	n.d.	n.d.	n.d.	n.d.	N.A.
23(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.




Material No.	Result (mg/kg)				
	Cd	Pb	Cr	Hg	Br
	Limit(mg/kg)				
	100	1000	Cr(VI): 1000	1000	PBB:1000 PBDE:1000
24(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
25(magnet)	n.d.	n.d.	n.d.	n.d.	N.A.
26(plastic)	n.d.	n.d.	n.d.	n.d.	d(^1)
27(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
28(metal)	n.d.	d(^1)	d(^2)	n.d.	N.A.
30(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
32(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
33(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
34(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
35(metal)	n.d.	n.d.	n.d.	n.d.	N.A.
36(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
37(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
38(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
39(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
40(magnet)	n.d.	n.d.	n.d.	n.d.	N.A.
41(label)	n.d.	n.d.	n.d.	n.d.	n.d.
51(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.



Material No.	Result (mg/kg)				
	Cd	Pb	Cr	Hg	Br
	Limit(mg/kg)				
	100	1000	Cr(VI): 1000	1000	PBB:1000 PBDE:1000
42(solder)	n.d.	n.d.	n.d.	n.d.	N.A.
43(plastic)	n.d.	n.d.	n.d.	n.d.	d(^1)
44(solder)	n.d.	n.d.	n.d.	n.d.	N.A.



Material No.	Result (mg/kg)				
	Cd	Pb	Cr	Hg	Br
	Limit(mg/kg)				
	100	1000	Cr(VI): 1000	1000	PBB:1000 PBDE:1000
45(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
46(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
47(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
48(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
49(metal)	n.d.	n.d.	d(^2)	n.d.	N.A.
50(metal)	n.d.	n.d.	n.d.	n.d.	N.A.
29(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.
31(plastic)	n.d.	n.d.	n.d.	n.d.	n.d.



Material No.	Result (mg/kg)				
	Cd	Pb	Cr	Hg	Br
	Limit(mg/kg)				
	100	1000	Cr(VI): 1000	1000	PBB:1000 PBDE:1000
9(metal)	n.d.	n.d.	n.d.	n.d.	N.A.

Abbreviation:

Pb	denotes Lead
Cd	denotes Cadmium
Hg	denotes Mercury
Cr	denotes Chromium
Cr(VI)	denotes Chromium(VI)
Br	denotes Bromine
PBBs	denotes Total Polybrominated Biphenyls
PBDEs	denotes Total Polybrominated Diphenyl Ethers
<	denotes less than
N.A.	denotes Not Applicable
n.d.	denotes Not Detected
d	denotes Detected

Remark:

(^1) The screening result was found in the inconclusive region (X), thus the further wet chemistry tests are suggested.

(^2) For metal sample, the Chromium (VI) content have been confirmed with reference to IEC 62321-7-1:2015.

For plastic sample or electronic sample, the Chromium (VI) content have been confirmed with reference to IEC 62321:2008 Annex C.

XRF Screening limits for different materials:

Materials	Concentration (mg/kg)				
	Cd	Cr	Pb	Hg	Br
Metallic material	P≤ 50 < X ≤150 < F	P≤ 630 < X	P≤ 690 < X≤1360 < F	P≤ 520 < X≤1560 < F	NA
Polymeric material	P≤ 50 < X ≤150 < F	P≤ 630 < X	P≤ 690 < X≤1360 < F	P≤ 520 < X≤1560 < F	P≤ 300 < X
Electronic material	P≤ 50 < X ≤180 < F	P≤ 500 < X	P≤ 550 < X≤1640 < F	P≤410 < X≤1870 < F	P≤ 240 < X

* Component(s)/ materials(s) with an area of less than 2mm x2 mm will not be selected for testing according to RoHS Directive 2011/65/EU due to technical reason.

For the test sample does not have detail materials information provided by client, visually identical materials (e.g. wire insulation, solder points, etc.) will be considered as the same material.

Solder points on a printing circuit board will be examined several times based on optical anomalies or discoloration of the solder point(s) unless the solder point(s) is obviously generated automatically during production.

All other materials will be sampled and tested at one test point representatively

B. Confirmation Test by Wet Chemistry

Test Method: Total Cadmium, Lead, Mercury, Chromium
 - Ref. to IEC 62321-4:2013 and IEC 62321-5:2013
 Chromium VI
 - For Metal material - Ref. to IEC 62321-7-1:2015
 - For Plastic or Electronic material – Ref. to IEC 62321-7-2:2017
 PBBs, PBDEs – Ref. to IEC 62321-6:2015

Material list:

Material No.	Material	Color	Test Plan
			A=Test HM only B=Test FR only C=Test HM+FR
16	PCB	Refer to photo	B
17	Plastic	Refer to photo	B
26	Plastic	Refer to photo	B
43	Plastic	Refer to photo	B
12	Metal	Refer to photo	A
20	Metal	Refer to photo	A
21	Metal	Refer to photo	A
28	Metal	Refer to photo	A
49	Metal	Refer to photo	A

Test result:

	Cd	Pb	Cr (VI)	Hg	PBBs (*)	PBDEs (*)
Maximum Permissible Limit ppm (mg/kg)	100	1000	1000	1000	1000	1000

Material No.	(mg/kg)					
	Cd	Pb	Cr [^]	Hg	PBBs (*)	PBDEs (*)
	RL (mg/kg)					
	10	10	10	10	5	5
16	N.A.	N.A.	N.A.	N.A.	N.D.	N.D.
17	N.A.	N.A.	N.A.	N.A.	N.D.	N.D.
26	N.A.	N.A.	N.A.	N.A.	N.D.	N.D.
43	N.A.	N.A.	N.A.	N.A.	N.D.	N.D.
28	N.A.	29100 ^{6(c)}	N.A.	N.A.	N.A.	N.A.

Material No.	Hexavalent Chromium Content ($\mu\text{g}/\text{cm}^2$) (*1) RL: 0.10 $\mu\text{g}/\text{cm}^2$
12	Negative
20	Negative
21	Negative
49	Negative

Abbreviation:

Pb	denotes Lead
Cd	denotes Cadmium
Hg	denotes Mercury
Cr	denotes Chromium
Cr(VI)	denotes Chromium(VI)
PBBs	denotes Total Polybrominated Biphenyls
PBDEs	denotes Total Polybrominated Diphenyl Ethers
N.D.	denotes Not Detected
MDL	denotes Method Detection Limit
N.A.	denotes Not Applicable
^	The total Chromium have been determined

Remark:

6(c) denotes exemption applications 6(c) Copper alloy containing up to 4 % lead by weight.

(*1) The total chromium content in Metal sample was found to be exceeded the maximum permissible limit (1000mg/kg). Thus, the Chromium (VI) content in surface layer have been confirmed with reference to IEC 62321-7-2:2017.

	Chromium (VI) concentration	Qualitative result
Negative	$<0.1\mu\text{g}/\text{cm}^2$	The sample is negative (-ve) for Cr(VI). The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating
Inconclusive	$\geq 0.1\mu\text{g}/\text{cm}^2$ and $\leq 0.13\mu\text{g}/\text{cm}^2$	The result is considered to be inconclusive. Unavoidable coating variations may influence the determination. Recommendation: if additional samples are available, perform a total of 3 trials to increase sampling surface area. Use the averaged result of the 3 trails for the final determination.
Positive	$>0.13\mu\text{g}/\text{cm}^2$	The sample is positive (+ve) for Cr(VI). Concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

(*) The reporting limit for each individual PBBs and individual PBDEs are :

Method Detection Limit in ppm (mg/kg)		
PBBs	Monbromobiphenyl	5
	Dibromobiphenyl	5
	Tribromobiphenyl	5
	Tetrabromobiphenyl	5
	Pentabromobiphenyl	5
	Hexabromobiphenyl	5
	Heptabromobiphenyl	5
	Octabromobiphenyl	5
	Nonabromobiphenyl	5
	Decabromobiphenyl	5
PBDEs	Monbromodiphenyl ether	5
	Dibromodiphenyl ether	5
	Tribromodiphenyl ether	5
	Tetrabromodiphenyl ether	5
	Pentabromodiphenyl ether	5
	Hexabromodiphenyl ether	5
	Heptabromodiphenyl ether	5
	Octabromodiphenyl ether	5
	Nonabromodiphenyl ether	5
	Decabromodiphenyl ether	5

Test Report No.:

1160042348a 001

Page 13 of 15

2. BBP, DBP, DEHP, DIBP content

Test method: IEC 62321-8:2017

Test result:

	BBP	DBP	DEHP	DIBP
Maximum permissible Limit (mg/kg)	1000	1000	1000	1000

Test No.	MaterialNo.	Results [mg/kg]			
		BBP	DBP	DEHP	DIBP
		RL: (mg/kg)			
		50	50	50	50
T001	1+2+3	n.d.	n.d.	n.d.	n.d.
T002	13+14+15	n.d.	n.d.	n.d.	n.d.
T003	16+17+19	n.d.	n.d.	n.d.	n.d.
T004	27+29+30	n.d.	n.d.	229	n.d.
T005	32+33	n.d.	n.d.	n.d.	n.d.
T006	37+38+39	n.d.	n.d.	n.d.	n.d.
T007	41+43+45	n.d.	n.d.	n.d.	n.d.
T008	46+47+48	n.d.	n.d.	n.d.	n.d.
T009	34+36	n.d.	n.d.	n.d.	n.d.
T010	26+31	n.d.	n.d.	n.d.	n.d.
---	5	N.A.	N.A.	N.A.	N.A.
---	8	N.A.	N.A.	N.A.	N.A.
---	9	N.A.	N.A.	N.A.	N.A.
---	10	N.A.	N.A.	N.A.	N.A.
---	11	N.A.	N.A.	N.A.	N.A.
---	12	N.A.	N.A.	N.A.	N.A.
---	18	N.A.	N.A.	N.A.	N.A.
---	20	N.A.	N.A.	N.A.	N.A.
---	21	N.A.	N.A.	N.A.	N.A.
---	22	N.A.	N.A.	N.A.	N.A.
---	23	N.A.	N.A.	N.A.	N.A.
---	24	N.A.	N.A.	N.A.	N.A.
---	25	N.A.	N.A.	N.A.	N.A.
---	28	N.A.	N.A.	N.A.	N.A.
---	35	N.A.	N.A.	N.A.	N.A.
---	40	N.A.	N.A.	N.A.	N.A.
---	42	N.A.	N.A.	N.A.	N.A.
---	44	N.A.	N.A.	N.A.	N.A.
---	49	N.A.	N.A.	N.A.	N.A.
---	50	N.A.	N.A.	N.A.	N.A.

Test Report No.:




1160042348a 001

Page 14 of 15

Abbreviation :

- BBP = Benzylbutyl phthalate
- DBP = Dibutyl phthalate
- DEHP = Bis(2-ethylhexyl) phthalate
- DIBP = Diisobutyl phthalate
- n.d. = Not Detected (< Reporting Limit)
- RL = Reporting Limit
- N.A. = Not Applicable
- mg/kg = milligram per kilogram

Sample photo:



--END--